

COFC



PATENT  
45951/W112

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No. : 6,913,594  
Issued : July 5, 2005  
Inventor(s) : James H. Coleman, et al.  
Application No. : 10/040,981  
Filed : December 31, 2001  
Title : DUAL-FUNCTION CATHETER HANDLE

Confirmation No. 1765

REQUEST FOR CERTIFICATE OF CORRECTION

Office of Certificates of Correction  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

P. O. Box 7068  
Pasadena, CA 91109-7068  
January 9, 2006

Commissioner:

Submitted herewith are two copies of a proposed Certificate of Correction for the above-referenced patent. The errors are identified in detail in the proposed certificate, and the corresponding text in the application is located as follows:

<u>Location in Patent</u>	<u>Location in Application</u>	<u>Certificate</u>
<u>Applicant errors:</u>		JAN 18 2006
<u>In the Drawings</u>		of Correction
FIG. 3, Sheet 3 of 10	Informal Drawings as Originally Filed, FIG. 3	
FIG. 7, Sheet 5 of 10	Informal Drawings as Originally Filed, FIG. 7	

Applicant(s) errors were unintentional and inadvertent, and were made in good faith through oversight. Correction is accordingly requested under 35 U.S.C. § 255, and our check for the \$100 statutory fee is enclosed. Any deficiency or overpayment should be charged or credited to Deposit Account No. 03-1728. Please show our docket number with any credit or charge to our Deposit Account.

01/12/2006 TBESHAH1 00000022 6913594

01 FC:1811

100.00 OP

I hereby certify that this correspondence is being deposited with the  
U.S. Postal Service as first class mail in an envelope addressed to:  
Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-  
1450 on: Jan. 9 2006  
(Date of Deposit)

JAN 18 2006


**U.S. Patent No. 6,913,594**

Correction of applicant(s) errors does not constitute new matter or require reexamination.  
Approval of this certificate is respectfully requested

Respectfully submitted,

**CHRISTIE, PARKER & HALE, LLP**

By

  
\_\_\_\_\_  
Anne Wang  
Reg. No. 36,045  
626/795-9900

AW/clv

Enclosures: Certificate of Correction (2)

Check \$100

CLV PAS657581.1-\* -12/15/05 10:18 AM

JAN 18 2006

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,913,594  
DATED : Jul. 5, 2005  
INVENTOR(S) : Coleman et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

## In the Drawings

FIG. 3, Sheet 3 of 10

Delete Drawing Sheet 3 and substitute therefore the Drawing Sheet, consisting of Fig. 3, as shown on the attached page

FIG. 7, Sheet 5 of 10

Delete Drawing Sheet 5 and substitute therefore the Drawing Sheet, consisting of Fig. 7, as shown on the attached page

MAILING ADDRESS OF SENDER:

CHRISTIE, PARKER & HALE, LLP.  
P.O. Box 7068  
Pasadena, California 91109-7068

PATENT NO. 6,913,594

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

**JAN 18 2006**

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,913,594  
DATED : Jul. 5, 2005  
INVENTOR(S) : Coleman et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### In the Drawings

FIG. 3, Sheet 3 of 10

Delete Drawing Sheet 3 and substitute therefore the Drawing Sheet, consisting of Fig. 3, as shown on the attached page

FIG. 7, Sheet 5 of 10

Delete Drawing Sheet 5 and substitute therefore the Drawing Sheet, consisting of Fig. 7, as shown on the attached page

MAILING ADDRESS OF SENDER:

CHRISTIE, PARKER & HALE, LLP.  
P.O. Box 7068  
Pasadena, California 91109-7068

PATENT NO. 6,913,594

No. of additional copies




This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JAN 18 2006




FIG. 3



JAN 18 2006



*FIG. 7*



JAN 18 2006